

INDEX TO VOLUME 64

By JANE R. DURHAM

A

- Abbott, Waldo G., Baltimore oriole at Santa Barbara, California, 441
- Ables, Ernest, and Schemnitz, Sanford D., notes on the food habits of the great horned owl in western Oklahoma, 328
- Acanthis flammea*, 440
- Accipiter cooperii*, 34, 223, 447, 500
- striatus, 223, 413, 447, 500
- striatus suttoni, 38
- striatus velox, 38
- Acrocephalus lusciniæ* *syntaxis*, 418, 428, 429, 436
- Actitis hypoleucos*, 418
- macularia, 143, 224
- Aechmophorus mexicanus*, 256
- Aechmophorus occidentalis*, 223
- Aegolius acadicus*, 473-487
- ridgwayi, 144
- ridgwayi *tacensis*, 144
- Æronautæ saxatilis*, 35, 79, 224
- saxatilis *saxatilis*, 35
- saxatilis *sclateri*, 35
- Æroornis*, 361
- semicollaris, 361
- senex, 361
- Agelaius phoeniceus*, 225, 265, 328, 440
- tricolor, 81, 225, 232
- Agyrtria viridissima*, 320
- Aimophila*, 55
- cassini, 39
- humeralis, 264, 269-272
- rufescens, 264, 270-272
- rufescens *gigas*, 152
- ruficauda, 264, 271
- ruficeps, 38
- ruficeps *boucardi*, 38
- ruficeps *eremoeca*, 38
- ruficeps *tenuirostris*, 38
- Aix sponsa*, 223
- Albatross, Black-browed, 443, 510
- Black-footed, 6, 9
- Laysan, 6, 9
- White-capped, 443
- Yellow-nosed, 443
- Amadon, Dean, a new genus and species of Philippine bird, 3
- Amaurospiza*, 265, 266
- concolor, 264-266, 272
- Amaurospizopsis relictus*, 265
- Amazilia*, 315-319, 321-322
- beryllina, 255
- leucogaster, 323
- leucogaster *bahiae*, 315
- Ammodramus savannarum perpallidus*, 39
- Ammospiza*, 55
- caudacuta, 240
- caudacuta *nelsoni*, 240
- Amphispiza belli*, 225
- bilineata, 38, 225
- bilineata *bilineata*, 38
- bilineata *grisea*, 38
- Anabernicula*, 242
- Anas*, 59, 61
- acuta, 20, 223, 242, 291-299
- carolinensis, 223, 242
- crecca, 20, 34
- cyanoptera, 34, 223
- discors, 20, 223
- discors *discors*, 34
- platyrhynchos, 19, 223, 291
- poecilorhyncha *pelewensis*, 416, 418, 422, 436
- strepera, 223
- Anderson, Anders H., and Anderson, Anne, life history of the cactus wren. Part V: fledging to independence, 199
- Ani*, Groove-billed, 254
- Smooth-billed, 234
- Anous stolidus pileatus*, 418, 423, 436
- stolidus *stolidus*, 424
- tenuirostris *marcusi*, 416, 418, 424, 436
- Anser albifrons*, 223
- Anthus spinoletta*, 224, 239
- spinoletta *rubescens*, 39
- Aphantochroa cirrochloris*, 320
- Aphelocoma coerulescens*, 134, 224
- coerulescens *cyanotis*, 38
- ultramarina, 271
- ultramarina *couchii*, 38
- unicolor *unicolor*, 147
- Aplonis opacus angus*, 418-419, 431, 436
- Aptenodytes forsteri*, 497
- Aquila*, 242
- chrysaetos, 34, 220, 223, 235-237, 242
- Archilochus alexandri*, 224, 320
- colubris, 320, 324
- Ardea herodias*, 34, 177, 223
- Arenaria interpres interpres*, 418
- Asio flammeus*, 224, 473-487
- otus, 473-487
- wilsonianus, 242
- Aspatha gularis*, 145
- Asyndesmus lewis*, 224
- Atlapetes*, 272
- brunnei-nucha, 152
- gutturalis *griseipectus*, 152
- pileatus, 266-267
- virenticeps, 267-268, 272
- Atlapetes*, Green-striped, 267-268, 272
- Rufous-capped, 266-267

INDEX TO VOLUME 64

By JANE R. DURHAM

A

- Abbott, Waldo G., Baltimore oriole at Santa Barbara, California, 441
- Ables, Ernest, and Schemnitz, Sanford D., notes on the food habits of the great horned owl in western Oklahoma, 328
- Acanthis flammea*, 440
- Accipiter cooperii*, 34, 223, 447, 500
- striatus*, 223, 413, 447, 500
- striatus suttoni*, 38
- striatus velox*, 38
- Acrocephalus lusciniæ* *syntaxis*, 418, 428, 429, 436
- Actitis hypoleucos*, 418
- macularia*, 143, 224
- Aechmophorus mexicanus*, 256
- Aechmophorus occidentalis*, 223
- Aegolius acadicus*, 473-487
- ridgwayi*, 144
- ridgwayi tacanensis*, 144
- Æronautæ saxatilis*, 35, 79, 224
- saxatilis saxatilis*, 35
- saxatilis sclateri*, 35
- Æroornis*, 361
- semicollaris*, 361
- senex*, 361
- Agelaius phoeniceus*, 225, 265, 328, 440
- tricolor*, 81, 225, 232
- Agyrtria viridissima*, 320
- Aimophila*, 55
- cassini*, 39
- humeralis*, 264, 269-272
- rufescens*, 264, 270-272
- rufescens gigas*, 152
- ruficauda*, 264, 271
- ruficeps*, 38
- ruficeps boucardi*, 38
- ruficeps eremoeca*, 38
- ruficeps tenuirostris*, 38
- Aix sponsa*, 223
- Albatross*, Black-browed, 443, 510
- Black-footed, 6, 9
- Laysan, 6, 9
- White-capped, 443
- Yellow-nosed, 443
- Amadon, Dean, a new genus and species of Philippine bird, 3
- Amaurospiza*, 265, 266
- concolor*, 264-266, 272
- Amaurospizopsis relictus*, 265
- Amazilia*, 315-319, 321-322
- beryllina*, 255
- leucogaster*, 323
- leucogaster bahiae*, 315
- Ammodramus savannarum perpallidus*, 39
- Ammospiza*, 55
- caudacuta*, 240
- caudacuta nelsoni*, 240
- Amphispiza belli*, 225
- bilineata*, 38, 225
- bilineata bilineata*, 38
- bilineata grisea*, 38
- Anabernicula*, 242
- Anas*, 59, 61
- acuta*, 20, 223, 242, 291-299
- carolinensis*, 223, 242
- crecca*, 20, 34
- cyanoptera*, 34, 223
- discors*, 20, 223
- discors discors*, 34
- platyrhynchos*, 19, 223, 291
- poecilorhyncha pelewensis*, 416, 418, 422, 436
- strepera*, 223
- Anderson, Anders H., and Anderson, Anne, life history of the cactus wren. Part V: fledging to independence, 199
- Ani*, Groove-billed, 254
- Smooth-billed, 234
- Anous stolidus pileatus*, 418, 423, 436
- stolidus stolidus*, 424
- tenuirostris marcusii*, 416, 418, 424, 436
- Anser albifrons*, 223
- Anthus spinoletta*, 224, 239
- spinoletta rubescens*, 39
- Aphantochroa cirrochloris*, 320
- Aphelocoma coerulescens*, 134, 224
- coerulescens cyanotis*, 38
- ultramarina*, 271
- ultramarina couchii*, 38
- unicolor unicolor*, 147
- Aplonis opacus angus*, 418-419, 431, 436
- Aptenodytes forsteri*, 497
- Aquila*, 242
- chrysaetos*, 34, 220, 223, 235-237, 242
- Archilochus alexandri*, 224, 320
- colubris*, 320, 324
- Ardea herodias*, 34, 177, 223
- Arenaria interpres interpres*, 418
- Asio flammeus*, 224, 473-487
- otus*, 473-487
- wilsonianus*, 242
- Aspatha gularis*, 145
- Asyndesmus lewisii*, 224
- Atlapetes*, 272
- brunnei-nucha*, 152
- gutturalis griseipectus*, 152
- pileatus*, 266-267
- virenticeps*, 267-268, 272
- Atlapetes*, Green-striped, 267-268, 272
- Rufous-capped, 266-267

- Atthis ellioti ellioti*, 144
Aulacorhynchus prasinus, 145
 prasinus prasinus, 145
 prasinus stenorhabdus, 145
Auriparus flaviceps, 224
 flaviceps ornatus, 38
Avocet, American, 224-225, 229
Aythya affinis, 223
 americana, 223
 collaris, 31, 223, 230
 marila, 163, 223
 valisineria, 223

B

- Baepler*, Donald H., the avifauna of the Soloma region in Huehuetenango, Guatemala, 140
Bailey, Alfred M., nesting of the Galapagos penguin and the Galapagos sooty gull, 159
Baker, James K., associations of cave swallows with cliff and barn swallows, 326; the manner and efficiency of raptor depredations on bats, 500
Bakus, Gerald J., early nesting of the Costa hummingbird in southern California, 438
Bananaquit, 92, 98, 107-108, 114-115
Banks, Richard C., Lapland longspur in México, 329
Bartholomew, George A., and Howell, Thomas R., temperature regulation in the red-tailed tropic bird and the red-footed booby, 6
Bartholomew, George A., Hudson, Jack W., and Howell, Thomas R., body temperature, oxygen consumption, evaporative water loss, and heart rate in the poor-will, 117
Bartholomew, George A., and Poulson, Thomas L., salt utilization in the house finch, 245
Bartramia longicauda, 143
Basileuterus belli scitulus, 151
 rufifrons, 264
 rufifrons salvini, 151
Becard, Rose-throated, 255
Billeb, Stephen L., occurrence of great gray owls in Mono County, California, 164
Bittern, American, 223, 228
 Chinese Least, 418, 421
 Least, 223
Blackbird, Brewer, 225
 Redwinged, 225-226, 228-230, 265, 328, 440
 Tricolored, 81, 86, 89-90, 225, 232
 Yellow-headed, 225, 227, 229
Bluebird, Common, 149
 Eastern, 260
 Mountain, 224-225
 Western, 224
Bobolink, 19, 390-401
Bobwhite, 329, 414
Bombicilla cedrorum, 39, 149, 224
Booby, Brown, 418, 420, 512
 Red-footed, 6, 12-17, 418, 420
Botaurus lentiginosus, 223
Brandt, John H., nests and eggs of the birds of the Truk Islands, 416
Branta canadensis, 223, 230, 454
 canadensis leucopareia, 230
 canadensis minima, 230
Broadbill, Micronesian, 418, 431-432
Brush-Finch, Chestnut-capped, 152
 Yellow-throated, 152
Bubo virginianus, 224, 242, 328, 465, 500
 virginianus occidentalis, 513
 virginianus pallescens, 38
Bucephala albeola, 34, 223
 clangula, 223
 islandica, 163
Bufflehead, 34, 223, 225
Bunting, Indigo, 152
 Lazuli, 225, 228, 266
 Snow, 441
Busarellus nigricollis, 156
Bushtit, Black-eared, 36, 147, 258
 Common, 224, 399
Buss, Irven O., Yocom, Charles F., and Crispens, Charles G., Jr., additional data on food of California quail in eastern Washington, 166
Buteo, 242
 albonotatus, 38, 223
 jamaicensis, 77, 223, 242, 400, 447, 500
 jamaicensis calurus, 34, 78
 jamaicensis costaricensis, 77-78, 143
 jamaicensis fuertesii, 34, 78
 jamaicensis hadropus, 77-78
 jamaicensis kemsiesi, 77-78
 lagopus, 439
 magnirostris, 156
 nitidus, 156, 254
 platypterus, 400
 poecilochrous, 277-282, 284-289
 polyosoma, 277-289
 polyosoma exsul, 287, 289
 polyosoma peruviansis, 287
 polyosoma poecilochrous, 277, 289
 polyosoma polyosoma, 287-288
 regalis, 223, 500
 swainsoni, 223, 400, 500
 unicolor, 281
Buteogallus aquinoctialis, 156-157
Butorides virescens, 223

C

- Cacicus uropygialis*, 93
Cacique, Scarlet-rumped, 93
Cade, Tom J., and Hobbie, John E., observations on the breeding of golden eagles at Lake Peters in northern Alaska, 235
Calcarius lapponicus, 225, 233, 329
 lapponicus lapponicus, 329
 ornatus, 225, 233, 239
Callipepla squamata, 38, 328, 414
Calothorax lucifer, 36
Calypte anna, 139, 235, 315, 320, 322, 324
 costae, 224, 324, 438

- Camptostoma imberbe*, 257
Campylorhynchus brunneicapillus, 36, 199-212
 brunneicapillus couesi, 36
 brunneicapillus guttatus, 36
 zonatus, 145, 209
 zonatus vulcanius, 148
Canvasback, 223
Capella gallinago, 35, 224, 441
Caprimulgus ridgwayi, 161, 254
 vociferus, 35
 vociferus chiapensis, 144
 vociferus oaxacae, 35
Caracara, Black, 157
 Yellow-headed, 156, 158
Cardellina rubrifrons, 151
Cardinal, 124, 187-188, 190, 195-196, 328
Carduelis, 41
Carpodacus mexicanus, 138, 225, 245-252
 mexicanus potosinus, 39
 purpureus, 225
Casmerodius albus, 223
Cassidix, 57, 81-82, 90
 major, 81-82, 84, 86-90
 mexicanus, 81-82, 84, 87-89, 151, 264
 mexicanus prosopidicola, 39
Catbird, 187-190, 192
Catharacta skua, 496, 511
 skua maccormicki, 488
Cathartes aura, 142, 223, 234-235
 aura teter, 38
Catharus, 59, 272
 aurantiostrius, 259-260, 264
 occidentalis, 259
 occidentalis alticola, 149
 occidentalis fulvescens, 37
Catherpes mexicanus, 258
 mexicanus albifrons, 38
Catoptrophorus semipalmatus, 224, 231
Centrocercus urophasianus, 242
Centurus, 57
 aurifrons, 36
 aurifrons aurifrons, 36
 aurifrons incanescens, 36
 carolinus, 128
Certhia familiaris, 224, 231, 258
 familiaris albescens, 38
 familiaris pernigra, 148
Ceryle alcyon, 36
 alcyon alcyon, 36
 alcyon caurina, 36
Chachalaca, Black, 143
Chaetura rutilus, 361
 vauxi, 224
Chaffinch, 375, 399
Chalybura, 300, 307-308
 buffonii, 302
 melanorrhoa, 300-310
 urochrysa incognita, 301
 urochrysa, 300-310
 urochrysa incognita, 301-302, 307-309
 urochrysa isaurae, 300-309
 urochrysa melanorrhoa, 300-309
 urochrysa urochrysa, 301-302, 307, 309-310
Chamaethypis poliocephala, 262-263
Charadrius alexandrinus, 224, 230
 mongolus stegmanni, 418
 semipalmatus, 163
 vociferus, 143, 224, 478
Chat, Ground, 262-263
 Red-breasted, 262
 Yellow-breasted, 225-227, 229
Chen caerulescens, 19, 163
 hyperborea, 163, 223
Chickadee, Chestnut-backed, 164
 Mexican, 36, 258
Chlidonias niger, 224
Chlorestes, 316-319, 321-322
 notatus, 323
 notatus cyanogenys, 315
Chlorophanes, 113-114
 spiza, 92
Chlorophonia, 113
Chlorospingus ophthalmicus, 506
 ophthalmicus dwighti, 151-152
 ophthalmicus postocularis, 151-152
Chlorostilbon canivetii, 254
Chlorura chlorura, 39, 225, 232
Chondestes grammacus, 225
 grammacus strigatus, 39
Chondrohierax uncinatus, 154
Chordeiles acutipennis, 224
 minor, 224
Ciccaba virgata, 266
Ciconia ciconia, 181
Cinclus mexicanus anthonyi, 148
Circus brasiliensis, 156
 cyaneus, 38, 223, 500
Clytolaema rubricauda, 320
Coccyzus americanus, 35, 254
 erythrophthalmus, 35, 143
Coereba, 114-115
 flaveola, 92
Colaptes auratus, 188, 224
 cafer, 224, 255
 cafer mexicanoides, 145
 cafer nanus, 36
Colibri serrirostris, 320
 thalassinus, 144
Colinus virginianus, 414
Collins, Charles T., and Snow, David W., social breeding behavior of the Mexican tanager, 161
Collocalia inexpectata, 361
 inquieta rukensis, 416-418, 427-428, 436
Columba, 69-71, 74, 468
 albinucha, 71
 albitorques, 72
 araucana, 71, 74
 argentina, 72
 arquatrix, 71, 73
 bollii, 71, 73
 caribaea, 71, 73-74

- delagorguei, 72
 elphingstonii, 71
 eversmanni, 70, 72
 fasciata, 70-71, 73-74, 143, 445-470
 fasciata albilinea, 73
 fasciata fasciata, 38
 hodgsonii, 71, 73
 iriditorques, 72
 janthina, 72
 jouyi, 72
 junoniae, 71, 73
 leucocephala, 72
 leuconota, 72
 livia, 19, 38, 70, 72, 88, 250, 451, 466-468
 malherbii, 72
 nigrirostris, 73
 norfolciensis, 72
 oenas, 71-72, 466-468
 oliviae, 72
 pallidiceps, 72
 palumboides, 72
 palumbus, 71, 73, 450, 466-469
 palumbus maderensis, 73
 polleni, 73
 pulchricollis, 71
 punicea, 72
 rupestris, 72, 468
 squamosa, 467
 thomensis, 73
 torringtoni, 71
 trocaz, 71, 73
 uncinata, 71
 versicolor, 72
 vitiensis, 72
 Columbigallina passerina, 224, 231, 254
 talpacoti, 158
 Contopus, 142
 pertinax, 255
 pertinax pallidiventris, 36
 pertinax pertinax, 146
 sordidulus, 146, 224, 255
 sordidulus veliei, 38
 virens, 38, 146, 184, 193
 Coot, 394
 American, 35, 223, 225, 229
 Coragyps, 242
 atratus, 38, 142, 156, 242, 325
 occidentalis, 242
 Cormorant, Double-crested, 223
 Flightless, 15
 Pelagic, 441
 Corvus brachyrhynchos, 188, 224
 corax, 224, 242
 corax principalis, 147
 corax sinuatus, 38, 147
 cornix, 61
 corone, 61
 cryptoleucus, 38
 frugilegus, 137
 Cowbird, Brown-headed, 75, 99, 225-230, 232, 264, 269
 Red-eyed, 258-259, 262-266, 268-271
 Crane, Sandhill, 178-179, 181
 Creagrus furcatus, 161
 Creeper, Brown, 148, 224, 231, 258
 Crispens, Charles G., Jr., Buss, Irven O., and Yocom, Charles F., additional data on food of California quail in eastern Washington, 166
 Crocethia alba, 163
 Crossbill, Red, 225
 Crotophaga ani, 234
 sulcirostris, 254
 Crow, Common, 187-190, 196, 224
 Cuckoo, Black-billed, 35, 143
 Long-tailed New Zealand, 416, 418
 Yellow-billed, 35, 254
 Curlew, Long-billed, 224, 230
 Cyanerpes, 113-114
 caeruleus, 112, 156
 cyaneus, 92, 106, 109
 cyaneus carneipes, 109
 cyaneus cyaneus, 109
 lucidus, 92, 112
 Cyanocitta cristata, 275
 stelleri, 451
 stelleri macrolopha, 38
 stelleri ridgwayi, 147
 Cyanolyca cucullata guatemala'ae, 147
 pumilo pumilo, 147
 Cyclarhis gujanensis, 52, 507
 Cynanthus latirostris, 320
 Cypseloides, 361, 366
 biscutatus, 361
 cherrei, 361
 cryptus, 361
 fumigatus, 361-362
 niger, 79, 361
 rutilus, 361-362
 semicollaris, 361
 senex, 361-362
 zonaris, 361-362
 Cyrtonyx montezumae, 38

D

- Dacnis, 113-114
 cayana, 92, 98
 venusta, 92, 104
 Dacnis, Blue, 98
 Scarlet-thighed, 92, 100, 104-105, 115
 Turquoise, 92-93, 98-100, 102-105, 111, 113, 115
 Dactylortyx thoracicus chiapensis, 143
 Daption capensis, 510
 Daptrius ater, 157
 Davis, John, notes on some birds of the state of Michoacán, México, 324; a review of Handbook of North American Birds, Volume 1, Loons Through Flamingos, edited by Ralph S. Palmer, 442

- Davis, John, and Miller, Alden H., further information on the Caribbean martin in México, 237
- Demigretta sacra sacra, 416, 418, 421, 436
- Dendrocopos major, 132
- minor, 132-133, 162
- minor amurensis, 162
- pubescens, 126-133
- scalaris, 36
- scalaris giraudi, 36
- scalaris symplectus, 36
- stricklandi, 324
- villosus, 36, 127-128, 224, 231
- villosus icaustus, 36
- villosus intermedius, 36
- villosus sanctorum, 145
- Dendroica, 55, 59
- auduboni, 224
- auduboni auduboni, 39
- auduboni memorabilis, 39, 150
- caerulescens, 76, 164
- chrysoparia, 37
- coronata, 150, 224
- dominica albilora, 37
- fusca, 150, 262
- magnolia, 224, 232
- nigrescens, 224
- occidentalis, 39, 150, 225, 232
- palmarum, 225, 232
- pennsylvanica, 76
- petechia, 188, 224
- townsendi, 39, 150, 224
- virens, 76
- virens virens, 39
- Dendrortyx leucophrys, 143
- leucophrys leucophrys, 143
- leucophrys nicaraguae, 143
- DeWolfe, Barbara B., and DeWolfe, Robert H., mountain white-crowned sparrows in California, 378
- Dicaeum, 5
- pygmaeum pygmaeum, 5
- Dickcissel, 225, 396
- Dickerman, Robert W., and Warner, Dwain W., a new orchard oriole from México, 311
- Diglossa, 114-115
- baritula, 92
- baritula montana, 149
- cyanea, 114
- Diglossopsis, 115
- Diomedea, 471-472
- albatrus, 471-472
- anglica, 471
- californica, 471-472
- exulans, 471-472
- immutabilis, 6, 472
- melanophrys, 510
- nigripes, 6, 472
- Dipper, 148
- Dixon, Keith L., notes on the molt schedule of the plain titmouse, 134
- Dolichonyx oryzivorus, 19, 390-401
- Dotterel, Mongolian, 418
- Dove, Crimson-crowned Fruit, 418, 425
- Ground, 224, 231, 254
- Inca, 254
- Mourning, 165-166, 224-225, 227, 229-230, 251
- Ring, 297
- Rock, 88, 466
- Ruddy Ground, 158
- Stock, 467
- White-fronted, 254
- White-throated Ground, 418, 426-427
- White-winged, 224, 231
- Dowitcher, 224, 231
- Dryocopus pileatus, 128
- Duck, Australian Gray, 418, 422
- Ring-necked, 31, 223, 230
- Ruddy, 223, 225, 229
- Wood, 223
- Ducula oceanica, 416
- oceanica teraokai, 416, 418, 425-426
- Dumetella carolinensis, 187

E

- Eagle, Golden, 34, 220, 223, 235-237, 242
- Eckelberry, Don R., painting of white-naped swift, opp. 361
- Egret, Common, 223, 225
- Snowy, 223, 225, 227
- Eisenmann, Eugene, notes on some neotropical viroes in Panamá, 505
- Eisenmann, Eugene, and Howell, Thomas R., the taxonomic status of the hummingbirds Chalybura melanorrhoa and Chalybura urochrysa, 300
- Elaenia flavogaster, 105
- Elaenia, Yellow-bellied, 105
- Yellow-crowned, 256-257, 272
- Elanoides forficatus, 154
- Elanus leucurus, 154
- Ely, Charles A., the birds of southeastern Coahuila, México, 34
- Emerald, Canivet, 254
- Empidonax, 41, 58-59
- affinis, 256
- affinis trepidus, 36
- difficilis, 224, 256, 259
- difficilis difficilis, 231
- difficilis hellmayri, 36
- difficilis occidentalis, 36
- difficilis salvini, 146
- flavescens, 146
- flavescens dwighti, 146
- flaviventris, 36, 146
- fulvifrons fusciceps, 146
- fulvifrons pygmaeus, 36
- hammondii, 38, 146, 224
- minimus, 38, 146, 184
- oberholseri, 146, 224

- traillii, 184, 224, 256
 wrightii, 38, 146, 224
Eremophila alpestris, 78, 224, 231
 alpestris diaphora, 38
 alpestris leucolaema, 231
 alpestris utahensis, 231
Ereunetes mauri, 224, 231, 240
Ergaticus versicolor, 151
Erithacus rubecula, 195
Erolia acuminata, 418
 melanotos, 224, 231
 minutilla, 224, 240
Erythrura trichroa clara, 416, 418, 434, 436
Escalante, Rodolfo, frequency of occurrence of
 some seabirds in Uruguay, 510
Eudynamis taitensis, 416, 418
Eugenes fulgens fulgens, 35
 fulgens viridiceps, 144
Eupetomena macroura, 320
Euphagus cyanocephalus, 39, 225
Euphonia, 113
Euphonia, Blue-headed, 151
Eupoda montana, 224

F

- Falco albigularis*, 158
 columbarius, 223, 510
 columbarius richardsonii, 35
 mexicanus, 34, 223, 242, 439
 peregrinus, 223, 502
 peregrinus anatum, 34
 rusticollis, 237, 508-510
 sparverius, 223, 500
 sparverius sparverius, 38, 143
 subbuteo, 158
Falcon, Bat, 158
 Laughing, 157
 Peregrine, 34, 223, 439, 510
 Prairie, 34, 220, 223, 225, 229, 439-440, 502
Fennell, Chester M., lesser spotted woodpecker
 nesting in Japan, 162
Finch, Blue-faced Parrot, 418, 434-435
 House, 138, 225-226, 229-230, 245-252
 Purple, 225
Fisler, George F., variation in the morning awak-
 ening time of some birds in south-central
 Michigan, 184
Flicker, Red-shafted, 36, 145, 224-225, 230, 255
 Yellow-shafted, 187-190, 224
Flower-piercer, Cinnamon-bellied, 149
 Slaty, 92, 104
Flycatcher, Ash-throated, 36, 227, 229
 Beardless, 257
 Buff-breasted, 36, 146
 Cous, 36, 255
 Crested, 186
 Dusky, 224
 Gray, 224
 Gray Silky, 149, 260
 Hammond, 146, 224
 Least, 146, 184
 Nutting, 255
 Olive-sided, 145, 224, 231
 Pine, 36, 256
 Scissor-tailed, 36
 Traill, 184, 224, 228, 256
 Tufted, 146, 256
 Vermilion, 224, 255
 Western, 36, 224, 228, 231, 256, 259
 Wright, 146
 Yellow-bellied, 36, 146
 Yellowish, 146
Fowl, Red Jungle, 418, 422
Fregata magnificens, 510
 minor minor, 418, 421, 436
Frigatebird, Magnificent, 444, 510
Fringilla coelebs, 375, 399
Fulica americana, 223, 394
 americana americana, 35
Fulmar, 438
 Northern, 443
Fulmaris glacialis, 438

G

- Gadwall*, 223
Gallicolumba xanthonura kubaryi, 416, 418, 426-
 427, 436
Gallinula chloropus, 223
Gallinule, Common, 223
Gallus, 179
 gallus, 418, 422, 436
Gannet, 6
Garrulus glandarius, 276, 466
 lanceolatus, 276
Gavia arctica, 223
 immer, 223, 230
Gelochelidon nilotica, 511
Geococcyx californianus, 38, 144, 224
 velox, 145
 velox affinis, 143
Geothlypis nelsoni nelsoni, 39
 trichas, 225
 trichas occidentalis, 39
Geranospiza caerulescens, 157
Glaucidium gnoma californicum, 35, 513
Gnatcatcher, Black-tailed, 224, 231
 Blue-gray, 224
Godwit, Marbled, 224
 Pacific, 418
Goldeneye, Barrow, 163
 Common, 223
Goldfinch, American, 225
 Lawrence, 225, 232
 Lesser, 225, 265
Goodall, William N., a recent record of the oven-
 bird for California, 240
Goose, Blue, 19, 163
 Canada, 223, 230, 454
 Emperor, 441
 Snow, 163, 223
 White-fronted, 223

- Grabner, Richard R., food and oxygen consumption in three species of owls (Strigidae), 473
- Grackle, Boat-tailed, 57, 81, 85, 88, 90, 151
Great-tailed, 57, 81-82, 264
- Granatellus venustus, 262
- Grassquit, Blue-black, 272
- Grebe, Eared, 223, 225
Horned, 162
Pied-billed, 34, 223, 225
Western, 223
- Greenlet, Golden-fronted, 507
Gray-headed, 507
Scrub, 507
Tawny-crowned, 507
- Greenshank, 418
- Grim, J. Norman, unusual feeding behavior of the fulmar, 438
- Grcsbeak, Black-headed, 225, 265
Blue, 152, 225-227, 229
Evening, 124
Yellow, 265
- Grouse, Ruffed, 329
- Grus canadensis, 178
- Guan, Horned, 143
- Guiraca caerulea, 39, 225
caerulea interfusa, 152
- Gull, Belcher, 511
Bonaparte, 224
California, 224
Glaucous-winged, 441
Ring-billed, 224
Sooty, 159-160
Swallow-tailed, 161
- Gullion, Gordon W., organization and movements of coveys of a Gambel quail population, 402
- Gygis alba, 422
alba candida, 425
alba pacifica, 416, 418, 425, 436
- Gymnogenys typicus, 157
- Gymnogyps, 241
amplus, 241-242
californianus, 241
- Gyr Falcon, 237, 440, 508-510
- II**
- Habrura, 5
- Hagdon, 442-443
- Hamilton, Terrell H., species relationships and adaptations for sympatry in the avian genus Vireo, 40
- Hamilton, William J., III, celestial orientation in juvenile waterfowl, 19; evidence concerning the function of nocturnal call notes of migratory birds, 390
- Harpagus bidentatus, 154
- Harrier, Long-winged, 156
- Haverschmidt, F., notes on the feeding habits and food of some hawks of Surinam, 154
- Hawk, Black-collared, 156
Broad-winged, 400
- Cooper, 34, 223, 225, 229, 439, 447, 465, 500
- Crab, 156-157
- Crane, 157
- Duck, 502-503
- Ferruginous, 223, 229, 500, 502
- Gray, 156, 254
- Great Black, 156
- Gurney Red-backed, 277
- Harrier, 157
- Marsh, 223, 225, 228, 500, 502
- Pigeon, 35, 223, 510
- Red-backed, 277
- Red-tailed, 34, 77, 143, 223, 225, 229, 400, 447, 500-503
- Roadside, 156
- Rough-legged, 439, 508-510
- Savanna, 155
- Sharp-shinned, 223, 413, 447, 500, 502
- Sparrow, 143, 223, 225, 227, 500-503
- Swainson, 223, 400, 500-502
- Zone-tailed, 223
- Heath, James Edward, temperature fluctuation in the turkey vulture, 234
- Henicorhina leucophrys capitalis, 148
- Heron, Black-crowned Night, 223, 227, 229, 418, 443
Eurasian Gray, 444
Great Blue, 34, 177, 223, 227, 229
Green, 223
Reef, 418, 421
Rufous Night, 418, 421
- Herpetotheres cachinnans, 157
- Hesperiphona vespertina, 124, 478
- Heteroscelus brevipes, 418
incanus, 418
- Heterospizias meridionalis, 155
- Himantopus mexicanus, 224
- Hirundo rustica, 224, 258, 326
rustica erythrogaster, 38
rustica gutturalis, 416, 418
- Hobbie, John E., and Cade, Tom J., observations on the breeding of golden eagles at Lake Peters in northern Alaska, 235
- Hobby, 158
- Honeycreeper, Blue, 92-94, 98-99, 104-116
Green, 92-94, 96-98, 104-105, 107-108, 111, 113, 115
Hyacinthine, 112
Shining, 92, 107-108, 111-113, 115, 156
Yellow-legged, 112
- Honey-eater, Cardinal, 418, 433-434
- Howard, Hildegard, bird remains from a prehistoric cave deposit in Grant County, New Mexico, 241; a new Miocene locality record for Puffinus diatomicus and Sula willetti, 512
- Howell, Thomas R., and Bartholomew, George A., temperature regulation in the red-tailed tropic bird and the red-footed booby, 6
- Howell, Thomas R., Bartholomew, George A., and Hudson, Jack W., body temperature, oxy-

- gen consumption, evaporative water loss, and heart rate in the poor-will, 117
- Howell, Thomas R., and Eisenmann, Eugene, the taxonomic status of the hummingbirds
Chalybura melanorrhoa and *Chalybura urochrysa*, 300
- Hudson, Jack W., Howell, Thomas R., and Bartholomew, George A., body temperature, oxygen consumption, evaporative water loss, and heart rate in the poor-will, 117
- Hummingbird (see also Emerald, Plumeteer, and Violet-ear)
 Allen, 324
Amethyst-throated, 144
 Anna, 139, 235, 315, 324
 Berylline, 255
 Black-chinned, 224
 Blue-crowned Wood Nymph, 93
 Broad-tailed, 36
 Costa, 224, 438
 Garnet-throated, 144
 Lucifer, 36
 Magnificent, 144
 Rivoli, 35
 Ruby-throated, 324
 Rufous, 224
 White-eared, 35, 144
 Wine-throated, 144
- Hungerford, Charles R., adaptations shown in selection of food by Gambel quail, 213
- Hydrobates pelagicus*, 445
- Hylocharis*, 316-319, 321-322
cyaneus, 323
cyaneus cyaneus, 315
leucotis leucotis, 35, 144
- Hylocichla guttata*, 224, 231
guttata auduboni, 37
guttata guttata, 39
guttata sequoiensis, 39
ustulata, 224, 231, 397
- Hylophilus*, 51, 507
aurantiifrons, 507
decurtatus, 507
flavipes, 507
flavipes viridiflavus, 507
ochraceiceps, 507
- Hypuroptila isaurae*, 302
urochrysa, 301
urochrysea, 301
urochrysa, 301
- I
- Ibis, Glossy, 444
 Scarlet, 444
 White-faced, 223, 228
 White-faced Glossy, 444
 Wood, 223
- Icteria virens*, 225
virens auricollis, 39
- Icterus bullockii*, 220, 225, 441
- chrysater chrysater*, 151
cucullatus, 79, 225, 441
fuertesi, 312-314
galbula, 93, 151, 164, 441
parisorum, 39, 225, 232, 441
pustulatus, 264
spurius, 39, 311-314
spurius affinis, 311-312, 314
spurius phillipsi, 311-314
spurius spurius, 311-312, 314
wagleri wagleri, 39
- Ictinia plumbea*, 155
- Iridoprocne bicolor*, 224
- Ixobrychus exilis*, 223
sinensis, 416, 418, 421, 436
- Ixoreus naevius*, 224
- J
- Jabiru mycteria*, 177
- Jaeger, Parasitic, 240, 497
- Jay, 466
 Azure-hooded, 147
 Black-throated, 147
 Blue, 275
 Gray, 163
 Mexican, 271
 Scrub, 134, 138, 224
 Steller, 147, 451
 Unicolored, 147
- Johnson, Ned K., and Russell, Ward C., distributional data on certain owls in the western Great Basin, 513
- Johnston, Richard F., the taxonomy of pigeons, 69
- Junco alticola*, 152
hyemalis, 164, 225, 396, 478
oreganus, 225
phaeonotus, 38, 152, 271
phaeonotus palliatus, 38
phaeonotus phaeonotus, 38
- Junco*, Guatemala, 152
 Mexican, 38, 271
 Oregon, 225
 Slate-colored, 164, 225, 396
- K
- Kahl, M. Philip, Jr., bioenergetics of growth in nestling wood storks, 169
- Kilham, Lawrence, reproductive behavior of downy woodpeckers, 126
- Killdeer, 143, 220, 224-227, 229
- Kincaid, Edgar B., Jr., starlings between Hawaii and California, 512
- Kingbird, Cassin, 75-76, 224, 231
 Eastern, 224
 Western, 36, 224, 227, 229
- Kingfisher, Belted, 36, 224
- Kinglet, Golden-crowned, 224, 231
 Ruby-crowned, 224-225

- Kite, Double-toothed, 154
 Gray-headed, 154
 Hook-billed, 154
 Plumbeous, 155
 Snail, 155
 Swallow-tailed, 154
 White-tailed, 154
- Knorr, Owen A., black swift breeds in Utah, 79
- Kridler, Eugene, and Marshall, David B., additional bird records from southeastern Oregon, 162
- Kuyt, E., a record of a tree-nesting gyrfalcon, 508
- L**
- Lagopus mutus, 237
- Lampornis amethystinus salvini, 144
 clemenciae clemenciae, 38
- Lamprolaima rhami rhami, 144
- Lanius ludovicianus, 37, 75, 79, 137, 224, 260
 ludovicianus excubitorides, 37
 ludovicianus mexicanus, 37
- Lark, Horned, 78-79, 224, 229, 231
- Larus belcheri, 511
 californicus, 224
 delawarensis, 224
 fuliginosus, 159-160
 glaucescens, 441
 philadelphia, 224
- Lasiewski, Robert C., the energetics of migrating hummingbirds, 324
- Lepidocolaptes affinis affinis, 145
 leucogaster, 255
- Leptodon cayanensis, 154
- Leptotila verreauxi, 254
- Leucophoyx thula, 223
- Levy, Seymour H., the Ridgway whip-poor-will in Arizona, 161
- Limnodromus, 224, 231
 scolopaceus, 231
- Limosa fedoa, 224
 lapponica baueri, 418
- Linnet, California, 220
- Lobipes lobatus, 224, 240
- Lonchura nigerrima minor, 416, 418
- Longspur, Chestnut-collared, 225, 233, 239
 Lapland, 225, 233, 329
- Loon, Arctic, 223, 443
 Common, 223, 230, 443
 Red-throated, 443
- Lophodytes cucullatus, 223, 230
- Lophornis magnificus, 320
- Lophortyx californicus, 165, 250, 414
 gambelii, 213-219, 223, 402-415
- Loxia curvirostra, 225
- M**
- MacMillen, Richard E., the minimum water requirements of mourning doves, 165
- Macronus ptilosus, 3
- Magpie, Black-billed, 224
- Maher, William J., breeding biology of the snow petrel near Cape Hallett, Antarctica, 488
- Mallard, 19-20, 32, 223, 225-226, 229, 291, 296
- Man-o'-War, Pacific, 418, 420
- Mareca americana, 34, 223, 242
 penelope, 223, 230
- Marler, P., and Tamura, M., song "dialects" in three populations of white-crowned sparrows, 368
- Marshall, David B., and Kridler, Eugene, additional bird records from southeastern Oregon, 162
- Martin, Caribbean, 237-239
 Purple, 65, 168, 200-203, 212, 224, 231
- McCaskie, R. G., a chestnut-collared longspur at Lake Tahoe, California, 239
- Meadowlark, Common, 151
 Eastern, 57
 Western, 20, 57, 220, 225
- Megasceryle alcyon, 224
- Melanerpes formicivorus formicivorus, 38
 formicivorus lineatus, 145
- Melanotis caerulescens, 258
 hypoleucus, 148
- Melanotrochilus fuscus, 320
- Meleagris, 242
 gallopavo, 242
- Melospiza lincolni, 225
 lincolni lincolni, 39, 153
 melodia, 184, 191, 225, 396, 478, 481
- Melospiza, 272
 kieneri, 264, 268-269
- Merganser, Hooded, 223, 230
 Common, 223
 Red-breasted, 223, 230
- Mergus merganser, 223
 serrator, 223, 230
- Metabolus rugensis, 416, 418, 430-431, 436
- Micromacronus, 3, 5
 leytensis, opp. 3, 3-4
- Miller, Alden H., and Davis, John, further information on the Caribbean martin in Mexico, 237
- Miller, Loye, high-noon songs, 75; a new alb-tross from the Miocene of California, 471
- Milvago chimachima, 156, 158
- Mimus polyglottos, 75, 194, 224
 polyglottos leucopterus, 38
- Mitrephanes phaeocercus, 256
 phaeocercus quercinus, 146
- Mixornis, 3
- Mniotilta varia, 39, 150, 163, 224, 232
- Mockingbird, 75, 194, 224-225, 227, 229
 Blue, 258
 Blue and White, 148
- Molothrus ater, 75, 99, 225, 232, 264, 478
 ater artemisiae, 232
 ater ater, 39
 ater obscurus, 232
- Momotus mexicanus, 255
- Monarch, Truk, 418, 430-431

- Moore, Milton, nesting of hooded oriole in Sacramento, California, 79; additional record of the chestnut-backed chickadee in the Calaveras Big Trees State Park, California, 164
- Morrison, Peter, modification of body temperature by activity in Brazilian hummingbirds, 315
- Morton, Martin L., a plucking experiment with white-crowned sparrows, 327
- Motmot, Blue-throated, 145
Rufous-crowned, 255
- Muscivora forficata, 36
- Myadestes obscurus oberholseri, 149
townsendi, 224, 240
- Mycteria, 171
americana, 169-183, 223
- Myiagra oceanica oceanica, 416, 418, 431-432, 436
- Myiarchus cinerascens, 36
cinerascens cinerascens, 36
cinerascens mexicanus, 36
crinitus, 186
nuttingi, 255
- Myioborus miniatus, 262
miniatus hellmayri, 151
miniatus intermedius, 151
- Myiopagus viridicatus, 256-257, 272
- Myiornis, 5
- Myzomela cardinalis dichromata, 434
cardinalis major, 416, 418, 433, 436
- N**
- Nannopterum harrisi, 15
- Neochloe brevipennis, 46, 262, 264, 272
- Nephoecetes niger, 361-362
- Nicholson, Donald J., and Selander, Robert K., autumnal breeding of boat-tailed grackles in Florida, 81
- Nighthawk, Lesser, 224, 227
Common, 224
- Nightingale-thrush, Orange-billed, 259-260
Russet, 37, 149, 259, 266
- Noddy, Common, 418-419, 423-424
White-capped, 418, 421-425
- Nolan, Val, Jr., the swaying display of the red-eyed and other vireos, 273
- Northern, James R., noteworthy bird records from Baja California, 240
- Notiochelidon pileata, 146
- Nucifraga columbiana, 138, 224
- Numenius americanus, 224, 230, 242
phaeopus, 224, 231
phaeopus variegatus, 418
- Nutcracker, Clark, 138, 224
- Nuthatch, Pygmy, 36
Red-breasted, 224, 231
White-breasted, 187-190, 196, 224, 271
- Nuttallornis borealis, 38, 145, 224, 231
- Nyctea scandiaca, 237, 441
- Nycticorax caledonicus pelewensis, 416, 418, 421, 436
nycticorax, 223
nycticorax nycticorax, 418
- Nyroca affinis, 242
collaris, 242
- O**
- Oceanites oceanicus, 495
- Oenoeas, 70, 73-74
chiriquensis, 74
goodsoni, 73
nigrirostris, 73
plumbea, 73
purpureotincta, 74
subvinacea, 73-74
- O'Farrell, Thomas P., and Sheets, Arthur M., birds observed wintering on Middleton Island, Alaska, 440
- Olor columbianus, 223
- Oporornis agilis, 76
formosus, 150
tolmiei, 150, 225
tolmiei monticola, 38, 150
- Oreophaps derbianus, 143
- Oreortyx picta, 242
- Oreoscoptes montanus, 39, 224
- Oreotrochilus estella, 315, 320
- Oriole, Baltimore, 93, 151, 164, 441
Bullock, 220, 225-226, 229, 441
Hooded, 79, 225, 229, 441
Orchard, 311-314
Scarlet-headed, 264
Scott, 225, 232, 441
Yellow-backed, 151
- Orr, Robert T., and Rowley, J. Stuart, the nesting of the white-naped swift, 361
- Orthotomus, 5
- Osprey, 223
- Osteodontornis orri, 512
- Otus asio, 224, 231
asio suttoni, 35
asio macfarlanei, 513
flammeolus flammeolus, 35, 513
- Ovenbird, 37, 240-241, 397
- Overmire, Thomas G., nesting of the Bell vireo in Oklahoma, 75
- Owl, Burrowing, 220, 224-226
Flammulated, 35, 513-514
Great Gray, 164-165
Great Horned, 224-226, 229, 328-329, 465, 500-503, 513
Long-eared, 473-487
Pigmy, 35, 513
Saw-whet, 473-487
Screech, 35, 224, 231, 513
Short-eared, 224, 229, 473-487
Snowy, 237, 441
Spectacled, 93
Spotted, 514
Unspotted Saw-whet, 144
Wood, 266
- Oxyura jamaicensis, 223

P

- Pagodroma nivea*, 488-499
Pandion haliaetus, 223
Parabuteo unicinctus, 38
Parapavo, 242
Parrot, Thick-billed, 35
Parus, 40-41, 55-56, 58-60, 62, 64
 ater, 56
 bicolor, 134-135
 caeruleus, 56
 inornatus, 134-139
 major, 56, 134, 138
 palustris, 56
 rufescens, 164
 sclateri, 36, 258
 sclateri eidos, 36
 sclateri sclateri, 36
Passer domesticus, 204, 225, 272, 325, 478, 481
 domesticus domesticus, 39
Passerculus sandwichensis, 225, 248
 sandwichensis anthinus, 39
 sandwichensis beldingi, 249-251
 sandwichensis brooksi, 249-251
Passerella iliaca, 225, 233, 478
Passerina amoena, 225, 266
 cyanea, 39, 152
Patagioenas, 70, 72, 74
 cayennensis, 73-74
 corensis, 72
 flavirostris, 70, 73-74
 inornata, 73-74
 leucocephala, 72
 maculosa, 73
 oenops, 73-74
 picazuro, 72
 speciosa, 72
 squamosa, 72
Peeters, Hans J., nuptial behavior of the band-tailed pigeon in the San Francisco Bay area, 445
Pelecanus, 6
 erythrorhynchus, 223, 230
Pelican, Brown, 444
 White, 223, 228, 230
Penelopina nigra nigra, 143
Penguin, Adelie, 488, 496-498
 Emperor, 497
 Galapagos, 159-160
Peppershrike, Rufous-browed, 52, 507
Perisoreus canadensis, 163
Petrel, 442-443
 Bonin Island, 6
 British Storm, 495
 Mottled, 443
 Snow, 488-499
 Trindade, 443
 White-chinned, 510
 Wilson, 443, 495, 497-498
Petrochelidon fulva, 326
pyrrhonota, 147, 224, 257, 326
pyrrhonota melanogaster, 38
Peucedramus taeniatus arizonae, 39
Pewee, Crested Wood, 256
 Eastern Wood, 146, 184, 186-190, 192-193, 195, 197
 Greater, 146
 Western Wood, 146, 224, 255, 257
Phaethon, 11, 15
 lepturus, 11
 lepturus dorotheae, 416, 418-419, 436
 rubricauda, 6-12, 512
 rubricauda rothschildi, 7, 416, 418-419, 436
Phaetusa simplex, 511
Phainopepla nitens, 224, 257
 nitens lepida, 37
 nitens nitens, 37
Phainopepla, 37, 224, 229, 257
Phalacrocorax auritus, 223
 pelagicus, 441
Phalaenoptilus, 321
 nuttallii, 117-125, 224, 235
 nuttallii californicus, 117
 nuttallii hueyi, 117
 nuttallii nuttallii, 38
Phalarope, Red, 224, 228
 Northern, 224, 240
 Wilson, 224, 227, 229, 240
Phalaropus fulicarius, 224
Phasianus colchicus, 294
Pheasant, Ring-necked, 294
Pheucticus chrysopleus, 265
 melanocephalus, 225, 265
 melanocephalus melanocephalus, 39
Philacte canagica, 441
Phillips, Richard E., and van Tienhoven, Ari, some physiological correlates of pintail reproductive behavior, 291
Phoebe, Black, 145, 224, 227, 229
 Eastern, 36, 187-191, 195, 197
 Say, 220, 224-227, 229
Pica pica, 224
Pigeon, Band-tailed, 73, 143, 445-470
 Cape, 443, 510
 Micronesian, 418, 425-426
 Wood, 450, 466-467, 469
Pintail, 20, 22, 24-25, 31, 223, 227, 291-299
Pipilo, 58
 aberti, 57
 erythrophthalmus, 184, 225, 232, 267-268
 erythrophthalmus orientalis, 39
 erythrophthalmus repetens, 152
 fuscus, 57
 fuscus potosinus, 39
 ocai, 268
Pipit, Water, 224-225, 239
Pipra, 109
 aureola, 109
 coronata, 109
 mentalis, 109

- Piranga flava*, 264-265
 ludoviciana, 39, 225
 rubra, 38
 rubra cooperi, 38
 rubra rubra, 38, 151
Platypsaris aglaiae, 255
Plectrophenax nivalis, 441
Plegadis chihi, 223
Plover, American Golden, 163
 Black-bellied, 224, 230, 418
 Mountain, 224
 Pacific Golden, 418
 Semipalmated, 163
 Snowy, 224, 230
 Upland, 143
Plumeleteer, Dusky, 300-310
 Bronze-tailed, 300-310
 White-vented, 302
Pluvialis dominica, 163
 dominica fulva, 418
Podiceps auritus, 162
 caspicus, 223
Podilymbus podiceps, 34, 223
Poliolimnas cinereus micronesiae, 416, 418, 422, 436
Polioptila caerulea, 224
 caerulea amoenissima, 39
 melanura, 224, 231
 melanura melanura, 39
Polystictus, 5
Polytmus guainumbi, 320
Poocetes gramineus, 225
 gramineus confinis, 39
Poor-will, 117-125, 224, 235, 321
Porzana carolina, 223
Poulson, Thomas L., and Bartholomew, George A., salt utilization in the house finch, 245
Procellaria aequinoctialis, 510
 puffinus, 19
Progne dominicensis, 237-239
 dominicensis sinaloae, 239
 sinaloae, 238
 subis, 224, 231, 238-239
Psaltia exilis, 5
Psaltiriparus melanotis, 36, 258
 melanotis iulus, 36
 melanotis lloydi, 36
 melanotis melanotis, 147
 minimus, 224, 399
Ptarmigan, Rock, 237
Pterodroma hypoleuca, 6
Ptilinopus porphyraceus ponapensis, 418, 425, 436
Ptilogonys cinereus, 260
 cinereus molybdophanes, 149
Puffinus, 512
 diatomicus, 512
 gravis, 442, 510
 herminieri dichrous, 418-419, 436
 nativitatis, 6
 pacificus, 6
 pacificus chlororhynchus, 418
 puffinus, 443
 tenuirostris, 495
Pulsatrix perspicillata, 93
Pygoscelis adeliae, 488, 496
Pyrocephalus rubinus, 224, 255
 rubinus mexicanus, 38
Pyrrhuloxia sinuata, 39
- ## Q
- Quail, California, 165-167, 250, 329, 414
 Desert, 220
 Gambel, 213-219, 223, 225-226, 229, 402-415
 Scaled, 328-329, 414
 Singing, 143
- ## R
- Rail, Virginia, 223, 230
 White-browed, 418, 422
Rallus limicola, 223, 230
Ramphocelus passerinii costaricensis, 100
Raven, Common, 147, 224-225, 229, 508, 510
 Western, 220
Recurvirostra americana, 224
Redhead, 223, 229
Redpoll, Common, 440
Redstart, American, 76, 164, 225, 232, 262
 Slate-throated, 151, 262
Regulus calendula, 224, 481
 calendula calendula, 39
 satrapa, 224, 231
Rhynchopsitta pachyrhyncha, 35
 pachyrhyncha pachyrhyncha, 35
 pachyrhyncha terrisi, 35
Richmondia cardinalis, 124, 187, 328, 478, 481
Ridgwayia pinicola, 325
Riparia riparia, 224, 231
Roadrunner, 144, 220, 224-226, 229
 Lesser, 143, 145
Robin, 224-225
 American, 28, 187-195, 197, 259, 272, 395
 Black, 148
 European, 195
 Mountain, 148
 Rufous-collared, 148
 White-necked, 259
Robinson, Gerald G., winter wren feeds Townsend solitary young, 240
Rook, 137
Root, Richard B., comments on the status of some western specimens of the American redstart, 76
Rostrhamus sociabilis, 155
Rowley, J. Stuart, nesting of the birds of Morelos, Mexico, 253
Rowley, J. Stuart, and Orr, Robert T., the nesting of the white-naped swift, 361
Rukia ruki, 416, 418, 434-435
Russell, Ward C., and Johnson, Ned K., distributional data on certain owls in the western Great Basin, 513

S

- Salpinctes obsoletus*, 224
obsoletus obsoletus, 38
 Sanderling, 163
 Sandpiper, Buff-breasted, 224
 Common, 418
 Least, 224, 227, 229, 240
 Pectoral, 224, 231
 Sharp-tailed, 418
 Solitary, 224, 228-229
 Spotted, 143, 224-225, 227, 229
 Western, 224, 227, 231, 240
 Sapsucker, Williamson, 36, 224, 325
 Yellow-bellied, 36, 145, 224-225, 231, 325, 441
 Sayornis nigricans, 38, 224
 nigricans aquatica, 145
 phoebe, 36, 188
 saya, 224
 saya saya, 38
 Scardafella inca, 38, 254
 Scaup, Greater, 163, 223
 Lesser, 163, 223
 Schemnitz, Sanford D., and Ables, Ernest, notes
 on the food habits of the great horned owl
 in western Oklahoma, 328
 Seedeater, Blue, 265-266, 272
 White-collared, 265
 Seiurus aurocapillus, 76, 397
 aurocapillus aurocapillus, 37, 240-241
 noveboracensis, 138, 225, 232
 noveboracensis notabilis, 150, 232
 Selander, Robert K., and Nicholson, Donald J.,
 autumnal breeding of boat-tailed grackles
 in Florida, 81
 Selasphorus platycercus, 320
 platycercus platycercus, 36
 rufus, 224, 320, 324
 sasin, 324
 Setophaga picta, 39
 rutililla, 39, 76, 164, 225, 232, 262
 Shearwater, Christmas Island, 6
 Dusky, 418-419
 Great, 442
 Greater, 510
 Great Gray, 443
 Little, 443
 Manx, 19
 Short-tailed, 495, 497-498
 Wedge-tailed, 6, 9, 14, 418
 Sheets, Arthur M., and O'Farrell, Thomas P., birds
 observed wintering on Middleton Island,
 Alaska, 440
 Shepherd, Peter E. K., a breeding record of the
 redwinged blackbird in Alaska, 440
 Shoveler, 223
 Shrike, Loggerhead, 37, 75-76, 78-79, 137, 224,
 260
 Shrike-vireo, Chestnut-sided, 325
 Sialia currucoides, 224
 mexicana, 224
 mexicana mexicana, 39
 sialis, 260
 sialis guatemalae, 149
 Singer, Arthur, painting of *Micromacronus ley-*
 tensis, opp. 3
 Siskin, Black-capped, 152
 Pine, 38, 225
 Sitta, 59, 61
 canadensis, 224, 231
 carolinensis, 188, 224, 271
 carolinensis mexicana, 38
 pygmaea flavinucha, 36
 Skua, 511
 South Polar, 488, 496-498
 Skutch, Alexander F., life histories of honey-
 creepers, 92
 Snipe, Common, 35, 224-225, 441
 Snow, David W., and Collins, Charles T., social
 breeding behavior of the Mexican tanager,
 161
 Solitaire, Brown-backed, 149
 Townsend, 224, 240
 Sora, 223, 225, 228
 Sparrow, Andean, 135
 Black-chested, 269-270, 272
 Black-throated, 38, 225
 Brewer, 225, 228
 Chipping, 225, 227-228, 271
 Fox, 225, 233
 Golden-crowned, 225, 232
 Harris, 164, 225
 House, 204, 206, 220, 225-226, 229, 230, 272,
 325
 Lark, 225
 Lincoln, 153, 225-226, 228
 Nuttall, 386
 Rufous-collared, 152
 Rufous-crowned, 38
 Russet-tailed, 271
 Rusty, 152, 270-272
 Rusty-crowned Ground, 268-269
 Sage, 225
 Savannah, 225-226, 228-229, 248, 250
 Sharp-tailed, 240
 Song, 184, 187-191, 193-197, 225, 396
 Tree, 225, 232
 Vesper, 225
 White-crowned, 19, 225, 228, 327, 368-380,
 382-386
 White-throated, 164, 225, 233
 Spatula clypeata, 223
 Speirops, 62, 63
 melanocephalus, 62
 Speotyto cunicularia, 38, 224
 Spheniscus mendiculus, 159-160
 Sphyrapicus thyroideus, 224, 325
 thyroideus nataliae, 36
 varius, 224, 231, 441
 varius daggetti, 231
 varius nuchalis, 36, 231, 325
 varius varius, 38, 145, 325

- Spinus, 58
 atriceps, 152
 lawrencei, 225, 232
 pinus, 38, 225
 pinus macropterus, 38
 pinus pinus, 38
 psaltria, 225, 265
 psaltria psaltria, 39
 tristis, 152, 225
 Spiza americana, 225, 396
 Spizaetus, 242
 willetti, 242
 Spizella arborea, 225, 232, 478, 480-481
 arborea ochracea, 232
 atroregularis atrogularis, 39
 breweri, 225
 pallida, 39
 passerina, 225, 271
 passerina arizonae, 39
 pusilla, 478, 480-481
 Sporophila torqueola, 265
 Squatarola squatarola, 224, 230, 418
 Starling, 19-20, 224-225, 231-232, 395, 439, 512
 Micronesian, 418, 431
 Steganopus tricolor, 224, 240
 Stelgidopteryx rufigollis, 38, 224, 257
 Stellula calliope, 324
 Stercorarius parasiticus, 240, 497
 Sterna fuscata, 16
 fuscata oahuensis, 416, 418, 423, 436
 hirundinacea, 511
 hirundo, 20
 sumatrana sumatrana, 416, 418, 422, 436
 Stilt, Black-necked, 224-225, 227
 Storer, Robert W., variation in the red-tailed
 hawks of southern México and Central
 America, 77
 Stork, Jabiru, 177
 White, 181
 Wood, 169-183
 Streptopelia, 297
 Streptoprocne, 361
 biscutatus, 361
 semicollaris, opp. 361, 361-367
 zonaris, 144, 361
 Strix nebulosa, 164
 occidentalis occidentalis, 514
 Sturnella, 57
 neglecta, 20, 39, 151, 225
 Sturnus vulgaris, 19, 224, 231, 395, 439, 512
 Sula, 512
 bassana, 6
 leucogaster brewsteri, 512
 leucogaster plotus, 418, 420, 436
 sula, 6, 12-17
 sula rubripes, 12, 418, 420, 436
 willetti, 512
 Swallow, Amur Barn, 416
 Bank, 224, 229, 231
 Barn, 224, 227, 229, 258, 326
 Black-capped, 146-147
 Cave, 326
 Cliff, 147, 224, 229, 257, 326
 Eastern Barn, 418
 Rough-winged, 224, 229, 257-258
 Tree, 224, 227
 Violet-green, 36, 147, 224
 Swan, Trumpeter, 440
 Whistling, 223
 Swift, Black, 79, 362
 White-collared, 144
 White-naped, opp. 361, 361-367
 White-throated, 35, 79, 224
 Vaux, 224
 Swiftlet, Carolines, 418, 427-428
 Gray-rumped, 361
 Sylvia atricapilla, 19
 borin, 19
 communis, 19
- T
- Tachycineta thalassina, 36, 147, 224
 thalassina lepida, 36
 thalassina thalassina, 36
 Tamura, M., and Marler, P., song "dialects" in
 three populations of white-crowned spar-
 rows, 368
 Tanager, Common Bush, 151, 506
 Golden-masked, 100
 Hepatic, 265
 Mexican, 161
 Plain-colored, 92
 Song, 100, 105, 108-110, 116
 Summer, 38, 151
 Western, 225-226
 Tanagra musica elegantissima, 151
 Tangara, 113, 161
 larvata, 100, 161
 inornata, 92
 Tangavius aeneus, 263-264
 Tattler, American Wandering, 418
 Gray-tailed, 418
 Teal, Blue-winged, 20, 22-26, 28-29, 31-32, 34,
 223, 227
 Cinnamon, 34, 223, 225, 229
 Green-winged, 20, 22, 25-27, 34, 223, 225
 Telmatodytes palustris, 224
 Tern, Black, 224
 Black-naped, 418, 422-423, 425
 Cayenne, 511
 Common, 20
 Crested, 418, 423
 Fairy, 418, 422, 425
 Gull-billed, 511
 Large-billed, 511
 Royal, 511
 Sooty, 16, 418, 423-424
 South American, 511

- Thalasseus bergii* pelecánoides, 418, 423, 436
 elegans, 511
 eurygnathus, 511
 maximus, 511
 sandvicensis, 511
 sandvicensis eurygnathus, 511
Thaluranía colombica, 93
 furcata, 320
 glaucopis, 320
Thrasher, Brown, 224
 Crissal, 224
 Curve-billed, 37, 204, 259
 LeConte, 220, 224, 226
 Ocellated, 258
 Sage, 224
Thrush, Aztec, 325
 Gray's, 105
 Hermit, 37, 224, 231
 Olive-backed, 396-397
 Swainson, 224, 231
 Varied, 224
Thryomanes bewickii, 37, 224
 bewickii eremophilus, 37
 bewickii murinus, 37
Thryothorus ludovicianus, 478
 pleurostictus, 258, 264
Tit, Great, 134
Titmouse, Plain, 134-139
 Tufted, 134
Totanus flavipes, 224, 231
 melanoleucus, 224
Toucanet, Emerald, 145
Towhee, Abert, 57
 Brown, 57
 Green-tailed, 225, 232
 Red-eyed, 152
 Rufous-sided, 184, 225, 232, 267
Toxostoma curvirostre, 37, 204, 259
 curvirostre celsum, 37
 curvirostre oberholseri, 37
 dorsale, 224
 dorsale dumosum, 39
 lecontei, 224
 ocellatum, 258
 rufum, 224
Tringa nebularia, 418
 solitaria, 224
Tripsurus chryschauchen, 93, 106
Troglodytes aedon, 37, 195, 224, 258
 aedon cahooni, 37
 aedon compositus, 37
 aedon parkmanii, 38
 musculus intermedius, 148
 rufociliatus, 148
 rufociliatus rufociliatus, 148
 troglodytes, 184, 224, 231, 240
Trogon mexicanus, 255
 mexicanus mexicanus, 144
 viridis, 93
 violaceus, 93
Trogon, Mountain, 144-145, 255
 Violaceous, 93
 White-tailed, 93
Tropic Bird, *Red-tailed*, 6-12, 15, 17, 418-419, 512
 White-tailed, 418-419
Tryngites subruficollis, 224
Turdus assimilis, 259
 grayi, 105
 infuscatus, 148
 migratorius, 28, 188, 192, 224, 259, 272, 395, 478
 migratorius propinquus, 39
 plebejus differens, 148
 rufitorques, 148
Turnstone, 418
Tyrannus tyrannus, 224
 verticalis, 36, 224
 vociferans, 75, 224, 231
 vociferans vociferans, 38
Tyto alba, 242
- U
- Urubitinga urubitinga*, 156
- V
- van Tienhoven, Ari, and Phillips, Richard E., some physiological correlates of pintail reproductive behavior, 291
 Vaurie, Charles, a systematic study of the red-backed hawks of South America, 277
Verdin, 224, 226
Vermivora celata, 37, 224
 celata celata, 37
 celata orestera, 37
 crissalis, 37
 luciae, 224, 232
 peregrina, 76
 ruficapilla, 224, 232
 ruficapilla ruficapilla, 37
 superciliosa, 262
 superciliosa mexicana, 39
 superciliosa superciliosa, 150
Violet-ear, Green, 144
Vireo, 40-68, 273, 505, 507
 altiloquus, 45, 47-48, 50-51
 altiloquus magister, 45
 atricapillus, 43-45, 47-48, 51-53
 bairdi, 45, 47-48, 50-51
 bellii, 43-45, 47-48, 50-51, 53, 75, 224, 273-275
 bellii bellii, 37
 bellii medius, 39
 carmioli, 45, 47-48, 51, 505, 507-508
 chivi, 506-507
 chivi cauae, 506

- chivi chivi, 506
 flavifrons, 42-43, 45, 47-48, 50-51, 53, 62, 505, 507
 flavoviridis, 45, 47-48, 50-51, 53, 262-264, 274, 506-508
 flavoviridis flavoviridis, 149
 gilvus, 43-45, 47, 49-53, 224, 275, 505, 508
 gilvus swainsonii, 149
 griseus, 43-45, 47-51, 53-54, 64, 505, 507
 griseus caribaeus, 45
 griseus crassirostris, 45
 griseus gundlachii, 45
 griseus modestus, 45, 54
 huttoni, 43, 45, 47-48, 51, 53, 260
 huttoni carolinae, 37
 huttoni stephensi, 37
 huttoni vulcani, 149
 hypochryseus, 45, 47-48, 50-51, 260-261, 272
 latimeri, 44-45, 47-48, 51
 leucophrys, 45, 47, 49-51, 53, 505, 508
 leucophrys chiriquensis, 507
 nanus, 43, 45, 47-48, 50-51
 nelsoni, 45, 47, 49, 51
 olivaceus, 42-45, 47-48, 50-51, 53, 64, 163, 273-276, 505-508
 osburni, 43, 45, 47-48, 51, 54
 pallens, 45, 47, 48, 51
 pallens ochraceus, 45
 philadelphicus, 43, 45, 47, 49-51, 53, 505, 507
 solitarius, 43, 45-48, 50-51, 53, 62, 224, 275, 505
 solitarius alticola, 51
 solitarius solitarius, 39, 149
 vicinior, 43, 45, 47-49, 51, 53, 505
 Vireo, Bell, 37, 44, 47, 49, 75, 224, 273-276
 Black-capped, 44, 46-47
 Black-whiskered, 47
 Brown-capped, 47, 51, 52, 505-506
 Cozumel, 47
 Dwarf, 47, 49
 Golden, 47, 260-261, 272
 Gray, 47, 49, 505
 Hutton, 37, 43-44, 46-47, 149, 260
 Latimer, 44, 47
 Lawrence, 47
 Mangrove, 47
 Osburn, 47
 Philadelphia, 47
 Red-eyed, 42, 44, 46-47, 163, 273-276, 506
 Slaty, 262, 272
 Solitary, 43-44, 46-47, 149, 224, 275, 505
 Warbling, 47, 149, 224, 227, 229, 275, 505
 White-eyed, 44, 47, 49, 505
 Yellow-green, 47, 149, 262-263, 274, 506
 Yellow-throated, 42, 44, 47, 505
 Yellow-winged, 47, 505
 Vireolanius melitophrys, 325
 Volatinia jacarina, 272
 Vulture, Black, 142, 156, 325
 Turkey, 142, 223, 227, 229, 234-235
 Warbler, Audubon, 150, 224-225
 Black-and-White, 150, 163, 224, 232
 Blackburnian, 150, 262
 Black-throated Blue, 164
 Black-throated Gray, 224
 Canada, 151
 Colima, 37
 Crescent-chested, 150
 Garden, 20, 30
 Golden-browed, 151
 Golden-cheeked, 37
 Hartlaub, 262
 Hermit, 150, 225, 232
 Kentucky, 150
 Lucy, 224, 232
 MacGillivray, 38, 150, 225-227
 Magnolia, 224, 232
 Myrtle, 150, 224
 Nashville, 37, 224, 228, 232
 Nightingale Reed, 418, 428-429, 433
 Orange-crowned, 37, 224, 227
 Palm, 225, 232
 Pileolated, 150
 Pink-headed, 151
 Red-faced, 151
 Rufous-capped, 151, 264
 Townsend, 150, 224
 Wilson, 225-226, 228, 506
 Yellow, 187-190, 193, 195, 197, 224, 226
 Yellow-throated, 37
 Warner, Dwain W., and Dickerman, Robert W., a new orchard oriole from México, 311
 Waterthrush, Northern, 138, 150, 225, 232
 Wauer, Roland H., a survey of the birds of Death Valley, 220
 Waxwing, Cedar, 149, 224
 Weaver-Finch, Black-breasted, 416, 418
 Whimbrel, 224, 231, 418
 Whip-poor-will, 35, 144
 Ridgway, 161, 254
 White, Clayton M., prairie falcon displays accipitrine and circinnine hunting methods, 439
 White-eye, Bridled, 418, 433-434
 Truk Greater, 418, 434-435
 Widgeon, American, 34, 223, 225
 European, 223, 230
 Wiggins, Ira L., horned lark captured in flight by loggerhead shrike, 78
 Willet, 224, 231
 Wilsonia canadensis, 151
 pusilla, 150, 225, 506
 pusilla pileolata, 39, 150
 Woodcreeper, Spot-crowned, 145
 Woodhewer, Ivory-billed, 255
 White-striped, 255
 Wood-partridge, Buffy-crowned, 143
 Woodpecker, Acorn, 145
 Downy, 126-133
 Golden-fronted, 36, 57

- Golden-naped, 93, 106-107
Greater Spotted, 132-133
Hairy, 36, 127-128, 132, 145, 224, 231
Ladder-backed, 36
Lesser Spotted, 132, 162
Lewis, 224-225
Pileated, 128
Red-bellied, 57, 128
Strickland, 324
Wren, Banded, 258
 Banded-backed, 145, 148, 209
 Bewick, 37, 224-225
 Cactus, 36, 199-212
 Canyon, 258
 Gray-breasted Wood, 148
 House, 37, 195, 224, 272
 Long-billed Marsh, 224-225
 Northern House, 258
 Rock, 220, 224
 Rufous-browed, 148
 Southern House, 148
 Winter, 184, 224, 231, 240

X

- Xanthocephalus xanthocephalus*, 39, 225
Xiphorhynchus flavigaster, 255

Y

- Yellowlegs, Greater, 224
 Lesser, 224, 231
Yellowthroat, 225-227
Yocom, Charles F., Crispens, Charles G., Jr., and
 Buss, Irven O., additional data on food of
 California quail in eastern Washington, 166

Z

- Zenaida asiatica*, 38, 224, 231
Zenaidura macroura, 165, 224, 251, 478
 macroura marginella, 38
Zonotrichia albicollis, 164, 225, 233, 478
 atricapilla, 225, 232
 capensis, 135, 152
 capensis septentrionalis, 152
 leucophrys, 19, 225, 232, 327, 368-378
 leucophrys gambelii, 382, 388
 leucophrys nuttalli, 327, 368, 380, 386-388
 leucophrys oriantha, 378-389
 leucophrys pugetensis, 327, 386, 388
 querula, 164, 225
Zosterops, 5, 62-63
 conspicillata owstoni, 416, 418, 433-434, 436
 stenocricota, 62

